

Isolatieglas silence- geluid- en warmtewerend glas - technische gegevens					
Reenpane type	Opbouw mm	Rw (dB)	Rav dB (A)	Rar dB (A)	Ral dB (A)
Reenpane 24/35	5-15 Ar-:4	35	29	35	30
Reenpane 26/36	6-16 Ar-:4	36	29	36	31
Reenpane 28/37	8-16 Ar-:4	37	30	37	32
Reenpane 31/38	6-20 Ar-:5	38	32	38	35
Reenpane 30/38	8-16 Ar-:6	38	32	38	34
Reenpane 30/38	10-16 Ar-:4	38	31	37	33
Reenpane 34/39	10-20 Ar-:4	39	32	38	34
Reenpane 32/40	10-16 Ar-:6	40	34	39	37

Met veiligheidsfunctie (gelaagd met geluidswerende folie)					
Reenpane 26/37	Gelaagd-SI 33.1-16 Ar-:4	37	32	38	33
Reenpane 28/39	Gelaagd-SI 44.1-16 Ar-:4	39	32	39	34
Reenpane 28/40	Gelaagd-SI 33.1-16 Ar-:6	40	33	40	35
Reenpane 30/42	Gelaagd-SI 44.1-16 Ar-:6	42	35	42	37
Reenpane 34/42	Gelaagd-SI 33.1-20 Ar-:8	42	35	43	38
Reenpane 34/43	Gelaagd-SI 44.1-20 Ar-:6	43	35	44	39
Reenpane 32/43	Gelaagd-SI 44.1-16 Ar-:8	43	36	43	40
Reenpane 32/44	Gelaagd-SI 33.1-16 Ar-:10	44	37	44	40
Reenpane 36/44	Gelaagd-SI 44.1-20 Ar-:8	44	36	44	40
Reenpane 34/45	Gelaagd-SI 44.1-16 Ar-:10	45	38	46	42
Reenpane 40/45	Gelaagd-SI 44.1-24 Ar-:8	45	37	45	41
Reenpane 34/46	Gel.-SI 55.1-16 Ar-:gel.-SI 44.1	46	39	46	42
Reenpane 42/46	Gelaagd-SI 66.1-24 Ar-:6	46	38	46	42
Reenpane 42/47	Gelaagd-SI 44.1-24 Ar-:10	47	40	47	44
Reenpane 42/47	Gelaagd-SI 66.2-20 Ar-:10	47	42	46	44
Reenpane 37/44	Gelaagd-SI 66.2-16 Ar-:8	44	37	44	41
Reenpane 37/47	Gel.-SI 66.2-16 Ar-:gel.-SI 44.2	47	38	47	43
Reenpane 41/48	Gel.-SI 66.2-20 Ar-:gel.-SI 44.2	48	39	49	44
Reenpane 42/50	Gel.-SI 86.2-18 Ar-:gel.-SI 44.2	50	42	50	46
Reenpane 45/50	Gel.-SI 66.2-24 Ar-:gel.-SI 44.2	50	41	50	46
Reenpane 49/52	Gel.-SI 86.2-24 Ar-:gel.-SI 46.2	52	45	53	49
Reenpane 52/52	Gel.-SI 86.2-24 Ar-:gel.-SI 66.2	52	46	52	49

Met veiligheidsfunctie (gelaagd met veiligheidsfolie)					
Reenpane 25/36	Gel. 33.1-15 Ar-:4	36	30	36	32
Reenpane 33/38	Gel. 44.2-16 Ar-:8	38	32	38	35
Reenpane 31/40	Gel. 44.2-16 Ar-:6	40	34	39	36
Reenpane 31/41	Gel. 55.2-15 Ar-:6	41	35	41	38
Reenpane 33/41	Gel. 66.2-15 Ar-:6	41	36	41	38
Reenpane 37/41	Gel. 66.2-16 Ar-:8	41	37	40	39
Reenpane 37/43	Gel. 88.2-15 Ar-:6	43	37	43	40
Reenpane 27/36	Gel. 33.1-15 Ar-:33.1	36	29	35	31
Reenpane 33/39	Gel. 44.2-16 Ar-:44.2	39	32	38	33
Reenpane 33/42	Gel. 55.2-15 Ar-:44.2	42	36	41	39